

# CHEVROLET—CENTRAL OFFICE

DIVISION OF GENERAL MOTORS CORPORATION  
DETROIT 2, MICHIGAN

## TECHNICAL SERVICE BULLETIN

Technical Service Department



SUBJECT: 1963 GASOLINE AND DIESEL  
CRANKCASE CAPACITIES AND  
OIL LEVEL GAUGE DIMENSIONS

BULLETIN NO. DR #560

SECTION VI

TO: ALL CHEVROLET DEALERS

DATE November 14, 1962

The following chart may be used as reference when checking crankcase and oil filter capacities, and oil gauge and gauge tube dimensions for all 1963 gasoline and diesel engines.

In the event of an oil consumption complaint, engine oil level, oil level gauge and gauge tube should be checked against this chart.

Director, Technical Service Department

ADJ/afm

1963 CRANKCASE CAPACITY AND OIL LEVEL GAUGE CHART

ENGINE	MODELS	CRANK-CASE CAP.	FILTER CAP.	TOTAL CAP.	FILTER TYPE	GAUGE ROD LENGTH	TUBE LENGTH	GAUGE ROD PART NO.
153 Cu. In. L-4	Chev II 100-300 P10	3.5	.5	4.0	Full Flow Throw Away	9 19/32	2 5/16 1 19/32	3788460
194 Cu. In. L-6	Chev II 200-400	4.0	1.0	5.0		9 19/32	1 25/32	3788460*
145 Cu. In. P-6	Corvair 500-700-900 R10	4.0	.5	4.5		12 1/4	10 29/32	6257556
230 Cu. In. L-6	Pass. 1100-1500-1700	4.0	1.0	5.0		9 19/32	16 15/32	3784772
	CK10-20, C30-50, S50 P-10-20-30					3 21/32	3788460	
	Lr-S50					7 31/32	3738961	
292 Cu. In. L-6	T60, L50-60 CK10-20, C30, CS50, CSM60	5.0	1.0 **	6.0		13 13/16	7 19/32	3738961
283 Cu. In. V-8	Pass. 1200-1600-1800	4.0	1.0	5.0		16 3/8	5 5/16	3758688
	G10-20-30, K10-20					19 7/16	7 7/8	3739830
	C50					19 7/16	7 7/8	3739830
	L50				28 3/16	23 5/8	3771052	
327 Cu. In. V-8	Corvette Base	4.0	1.0	5.0	19 7/16	7 7/8	3739830	
	Corvette RPO L76, L84				16 3/8	5 5/16	3758688	
	Pass. 1200-1600-1800				19 7/16	7 7/8	3739830	
	CS60, S69				28 3/16	23 5/8	3771052	
348 Cu. In. W-8	L60	5.0	1.0 ***	6.0	28 3/16	23 5/8	3771052	
	T60				19 15/32	15 23/32	3784962	
	CM80				28 5/8	24 7/32 23 1/32	3788628	
	L80				20 5/32	15 23/32	3832260	
409 Cu. In. W-8	T80	6.0	2.0	8.0	19 15/32	15 23/32	3784962	
	Pass. 1200-1600-1800				28 5/8	24 7/32 23 1/32	3788628	
	CM80				22 5/8	19 15/32	3818158	
	L80				27 3/4	24 5/32	5127232	
Diesel L-4 Diesel V-6	D60	12	2	14				
	EU80	14	2	16				

\* With Air Conditioning, use 3739830

\*\* Optional 2 Qt. Full Flow Repl. Element Filter

Also Available on C-L-M-S-T-60

\*\*\* Optional 2 Qt. Filter Available (Except S69)

CORVALLIS


283 - 327 V-8

153 L-4, 194 - 230 L-6

348-409 V-8

DIESEL

R-10



Measure Tube Length in a  
Straight Line as Shown